ELSEVIER

Journal of Materials Processing Technology 181 (2007) 318–319

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 181

Abdel Khalek, A.A., 81
Abdou, M., 206
Abou-Sena, A., 206
Alessandrini, M., 44
Altzumailis, A., 2
Alves, F., 194
Amei, K., 40
Ando, Y., 12
Andreev, E.N., 25
Andrei, H., 172, 267
Ara, K., 190, 199
Argyropoulou, R., 2
Aritomi, M., 93

Bahgat, M., 99
Bensalah, A.-D., 194
Borza, F., 186
Bossavit, A., 225
Bulina, N.V., 64
Butt, D.P., 76

Cepişcă, C., 172
Cepisca, C., 267
Chady, T., 177
Chicco, G., 267
Chonan, S., 286
Chubraeva, L.I., 25
Churilov, G.N., 64
Cofinas, S., 148
Crisi, F., 18

Daoush, W., 213
Daoush, W.M., 59
Dellith, J., 71
Dogaru-Ulieru, V., 172, 267
Dou, S.X., 71
Dounis, C., 2
D'Ovidio, G., 18
Dub, S., 71
Dumitrescu, G., 153

Ebara, Y., 235
Ebihara, K., 110
Enokizono, M., 110, 177, 217

Fang, H., 44
Farghali, A.A., 81
Fiala, P., 88
Fojtik, A., 88
Francis, A., 213
Fujino, T., 254

Ganatsios, S., 246
Gawalek, W., 71
Georgilakis, P.S., 159, 260, 281, 307
Gioulekas, A.T., 281
Gotho, Y., 110
Griso, G., 225
Gyparis, I.K., 148

Habisreuther, T., 71
Hambardzumyan, A.F., 241
Hamdy, A.S., 76
Hanna, M., 44
Hantila, F., 246
Harada, M., 190
Harnois, C., 36
Hase, T., 165
Hashi, S., 66
Hatzilau, I.K., 148
Hessien, M.M., 106
Hoole, S.R.H., 136, 249
Horvath, D., 36
Hussien, A.A., 142

Ifrim, C., 246
Iijima, T., 286
Ikariga, A., 110
Ioannides, M.G., 313
Ishibashi, K., 274
Ishikwa, M., 254
Iwahara, M., 142

Kakuta, N., 93
Kalal, M., 88
Kalokiris, G.K., 148
Kamada, Y., 190, 199
Kaneda, K., 31
Kaniusas, E., 186
Karaboulis, P., 2
Khedr, M.H., 81
Kido, Y., 110
Kikuchi, H., 190, 199
Kikura, H., 93
Kirko, V.I., 222
Kladas, A., 182
Kladas, A.G., 148, 159
Kobayashi, K., 12
Kobayashi, S., 190, 199
Kobayashi, Y., 93
Kósa, J., 48
Kosel, J., 186
Kosmanis, T.I., 115
Kostopoulou, A., 126

Kubota, A., 199

Lanzara, G., 18
Lavrynenko, S.N., 203
Lixin, M., 66
Long, Q.Q., 235

Mamalis, A., 71
Mamalis, A.G., 1, 36, 52, 203, 241
Manolakos, D.E., 241
Marachevsky, A.V., 64
Maricaru, M., 246
Marquardt, B., 186
Martinez, Y.S., 64
Mascrenghe, A., 249
Matsumoto, E., 165
Matsushita, J., 93
Mauchi, T., 110
Mehnen, L., 186
Melnikov, V., 71
Merlo, A.M., 186
Meydan, T., 186
Miara, B., 225
Moshchil, V., 71
Moustafa, S.F., 59
Musil, L., 291

Nadji, B., 230
Nagaya, K., 12, 235
Nagorny, P., 71
Nakano, M., 121
Navarra, A., 18
Navukkarasu, K., 249
Nitu, C., 153
Nitu, S., 153
Noguchi, S., 31
Novikov, N., 71

Obata, M., 110
Ochsenkühn, K.M., 2
Ochsenkühn-Petropoulou, M., 2
Ogawa, J., 6
Ohji, T., 40, 142
Ohya, Y., 66
Okamoto, Y., 131
Okazaki, Y., 66
Ouchetto, O., 225

Papazacharopoulos, Z., 301
Pelant, I., 88
Petrakovskaya, E.A., 64
Petrosyan, G.L., 241

Elsevier B.V.
doi:10.1016/S0924-0136(06)00798-9

ELSEVIER

Journal of Materials Processing Technology 181 (2007) 318–319

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 181

Abdel Khalek, A.A., 81
Abdou, M., 206
Abou-Sena, A., 206
Alessandrini, M., 44
Altzumailis, A., 2
Alves, F., 194
Amei, K., 40
Ando, Y., 12
Andreev, E.N., 25
Andrei, H., 172, 267
Ara, K., 190, 199
Argyropoulou, R., 2
Aritomi, M., 93

Bahgat, M., 99
Bensalah, A.-D., 194
Borza, F., 186
Bossavit, A., 225
Bulina, N.V., 64
Butt, D.P., 76

Cepişcă, C., 172
Cepisca, C., 267
Chady, T., 177
Chicco, G., 267
Chonan, S., 286
Chubraeva, L.I., 25
Churilov, G.N., 64
Cofinas, S., 148
Crisi, F., 18

Daoush, W., 213
Daoush, W.M., 59
Dellith, J., 71
Dogaru-Ulieru, V., 172, 267
Dou, S.X., 71
Dounis, C., 2
D'Ovidio, G., 18
Dub, S., 71
Dumitrescu, G., 153

Ebara, Y., 235
Ebihara, K., 110
Enokizono, M., 110, 177, 217

Fang, H., 44
Farghali, A.A., 81
Fiala, P., 88
Fojtik, A., 88
Francis, A., 213
Fujino, T., 254

Ganatsios, S., 246
Gawalek, W., 71
Georgilakis, P.S., 159, 260, 281, 307
Gioulekas, A.T., 281
Gotho, Y., 110
Griso, G., 225
Gyparis, I.K., 148

Habisreuther, T., 71
Hambardzumyan, A.F., 241
Hamdy, A.S., 76
Hanna, M., 44
Hantila, F., 246
Harada, M., 190
Harnois, C., 36
Hase, T., 165
Hashi, S., 66
Hatzilau, I.K., 148
Hessien, M.M., 106
Hoole, S.R.H., 136, 249
Horvath, D., 36
Hussien, A.A., 142

Ifrim, C., 246
Iijima, T., 286
Ikariga, A., 110
Ioannides, M.G., 313
Ishibashi, K., 274
Ishikwa, M., 254
Iwahara, M., 142

Kakuta, N., 93
Kalal, M., 88
Kalokiris, G.K., 148
Kamada, Y., 190, 199
Kaneda, K., 31
Kaniusas, E., 186
Karaboulis, P., 2
Khedr, M.H., 81
Kido, Y., 110
Kikuchi, H., 190, 199
Kikura, H., 93
Kirko, V.I., 222
Kladas, A., 182
Kladas, A.G., 148, 159
Kobayashi, K., 12
Kobayashi, S., 190, 199
Kobayashi, Y., 93
Kósa, J., 48
Kosel, J., 186
Kosmanis, T.I., 115
Kostopoulou, A., 126

Kubota, A., 199

Lanzara, G., 18
Lavrynenko, S.N., 203
Lixin, M., 66
Long, Q.Q., 235

Mamalis, A., 71
Mamalis, A.G., 1, 36, 52, 203, 241
Manolakos, D.E., 241
Marachevsky, A.V., 64
Maricaru, M., 246
Marquardt, B., 186
Martinez, Y.S., 64
Mascrenghe, A., 249
Matsumoto, E., 165
Matsushita, J., 93
Mauchi, T., 110
Mehnen, L., 186
Melnikov, V., 71
Merlo, A.M., 186
Meydan, T., 186
Miara, B., 225
Moshchil, V., 71
Moustafa, S.F., 59
Musil, L., 291

Nadji, B., 230
Nagaya, K., 12, 235
Nagorny, P., 71
Nakano, M., 121
Navarra, A., 18
Navukkarasu, K., 249
Nitu, C., 153
Nitu, S., 153
Noguchi, S., 31
Novikov, N., 71

Obata, M., 110
Ochsenkühn, K.M., 2
Ochsenkühn-Petropoulou, M., 2
Ogawa, J., 6
Ohji, T., 40, 142
Ohya, Y., 66
Okamoto, Y., 131
Okazaki, Y., 66
Ouchetto, O., 225

Papazacharopoulos, Z., 301
Pelant, I., 88
Petrakovskaya, E.A., 64
Petrosyan, G.L., 241

Elsevier B.V.
doi:10.1016/S0924-0136(06)00798-9

Pfützner, H., 186
Popescu, C., 246
Pragłowska-Gorczyńska, Z., 291
Pranoto, T., 235
Prikhna, T., 71
Putman, P.T., 44

Radwan, M., 99, 106
Rashad, M.M., 106
Razek, A., 225
Rohn, M., 186
Rovolis, P., 182

Safigianni, A.S., 126
Saito, M., 12
Sakui, M., 40
Salama, K., 44
Savchuk, Y., 71
Schmidt, C., 71
Sergienko, N., 71
Shimada, K., 121
Shimoji, H., 110
Shinkai, T., 40
Shioduki, H., 110
Skarlatini, A.D., 159
Souflaris, A.T., 159, 260, 281
Spertino, F., 267
Suzuki, T., 165
Syggeridou, O.A., 313
Szalay, A., 36

Takahashi, N., 121, 131
Takahashi, S., 190, 199
Takemoto, K., 121
Tanahashi, Y., 286
Tanaka, M., 286
Tegopoulos, J., 182
Teshima, S., 217
Todaka, T., 110, 177, 217
Tsakirakis, I., 301
Tsiboukis, T.D., 115
Tsili, M.A., 159, 260
Tsivgouli, A.J., 159
Tsouvalas, N., 301
Tsuchida, Y., 110, 177
Tsukamoto, O., 6
Tuluca, G., 153

Udawalpola, R., 136
Umeduki, A., 110

Urata, S., 110

Vajda, I., 36, 48
Valenta, J., 88
Vernados, P.G., 296
Vázquez, M., 186

Wendt, M., 71
Wijesinghe, K.R.C., 136

Xydis, I., 301

Yamada, S., 142
Yamashita, H., 31
Yanagawa, T., 31
Yanase, S., 66
Yasutake, T., 177
Ying, A., 206
Yioultsis, T.V., 115
Yuhara, M., 254

Zeisberger, M., 71
Zhou, Y.X., 44
Zouhdi, S., 225

ELSEVIER

Journal of Materials Processing Technology 181 (2007) 320–326

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 181

AC loss
Perspectives of elementary technologies for AC power applications of high temperature superconductors, 6
Actuator
Vibration suppression device using permanent-electromagnet and MRF shear damper, 235
Adjoint variable method
Minimization of driving force ripple of linear motor for rope-less elevator using topology optimization technique, 131
Advanced materials
Recent advances in nanotechnology, 52
AlN
A modified direct nitridation method for formation of nano-AlN whiskers, 99
AlN whiskers
A modified direct nitridation method for formation of nano-AlN whiskers, 99
Aluminum alloys
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Amorphous alloy
Investigation of a model HTSC transformer with amorphous alloy cores, 25
Annealing oxidation
Investigation and study of the electrical characteristics of anodic oxide films SiO_2 annealed at various temperatures, 230

$BaO–NiO–TiO_2–Fe_2O_3$ system
Synthesis and magnetic characteristics of crystallized ceramic in the $BaO–NiO–TiO_2–Fe_2O_3$ system, 213
Bench mark
Development of a benchmark problem and a general optimisation package with Powell's method to develop the benchmark, 136
Bi-2212
Comparison of the behavior of the three superconductors YBCO, Bi-2212 and MgB_2 in different environmental conditions, 2
Bi2223
Perspectives of elementary technologies for AC power applications of high temperature superconductors, 6
Bimetallic tube
The effect of strain hardening in the extrusion of bimetallic tubes of porous internal layer, 241
Bioengineering
On the precision single-point diamond machining of polymeric materials, 203

Carbon and nano-wires
Catalytic decomposition of carbondioxide over freshly reduced activated $CuFe_2O_4$ nano-crystals, 81
Charpy impact test piece
Development of apparatus for magnetic measurements of Charpy impact test pieces, 190
Circuit breaker actuation
Electromagnetic actuator with magnetic stored energy, 153
Cluster formation
Cluster formation of ferromagnetic nano-particles in micro-capillary flow, 93
CO_2 decomposition
Catalytic decomposition of carbondioxide over freshly reduced activated $CuFe_2O_4$ nano-crystals, 81
Coercive field
Development of apparatus for magnetic measurements of Charpy impact test pieces, 190
Coercive force
Magnetic properties and copper precipitation in Fe-0.3 wt.% Cu alloys, 199
Coercivity
Magnetic properties of nanocrystalline ferrite $Ti_xCo_{1+x}Fe_{2-2x}O_4$ and $CoFe_2O_4$ composite thin films, 66
Composite materials
Homogenization of structured electromagnetic materials and meta-materials, 225
Compound materials
First magnetic materials with sensitivity for the physical quantity "curvature", 186
Contact condition
Development of a 3D tactile sensor, 286
Control
High temperature superconducting levitation flywheel system and its control, 12
Vibration suppression device using permanent-electromagnet and MRF shear damper, 235
Copper ferrite
Catalytic decomposition of carbondioxide over freshly reduced activated $CuFe_2O_4$ nano-crystals, 81
Copper precipitation
Magnetic properties and copper precipitation in Fe-0.3 wt.% Cu alloys, 199
Co-precipitation
Synthesis and characterization of barium hexaferrite nanoparticles, 106
Core-less linear synchronous motor
Minimization of driving force ripple of linear motor for rope-less elevator using topology optimization technique, 131
Corrosion protection
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Coulomb force
Application of Lorentz force to a magnetic levitation system for a non-magnetic thin plate, 40
CRT
Study on demagnetization characteristics of magnetic shielding plate in cathode ray tube, 121
Crystallization
Synthesis and magnetic characteristics of crystallized ceramic in the $BaO–NiO–TiO_2–Fe_2O_3$ system, 213

Elsevier B.V.
doi:10.1016/S0924-0136(06)00799-0

Curie point
Magnetic properties and shape memory effect of Fe–Cr–Ni–Si–Mn alloys produced by melt spinning technique, 217
Curvature
First magnetic materials with sensitivity for the physical quantity "curvature", 186
Cutting of YBCO bulk
Environmentally friendly machining of ceramic based YBCO bulk superconductor, 48

Data acquisition
Evaluation of the parameters of a magnetic hysteresis model, 172
Photovoltaic applications, 267
Database
Induction motors' faults detection and diagnosis by using Dedicated Software, 313
Decision support system
Decision support system for evaluating transformer investments in the industrial sector, 307
Decision trees
A decision tree method for the selection of winding material in power transformers, 281
Demagnetization
Study on demagnetization characteristics of magnetic shielding plate in cathode ray tube, 121
Density method
Minimization of driving force ripple of linear motor for rope-less elevator using topology optimization technique, 131
Diagnostic system
Induction motors' faults detection and diagnosis by using Dedicated Software, 313
Diamond tools
On the precision single-point diamond machining of polymeric materials, 203
Direct nitridation
A modified direct nitridation method for formation of nano-AlN whiskers, 99
Double output induction generator
Steady and transient state experimental investigation of the double output induction generator in autonomous operation, 296
Double output system
Steady and transient state experimental investigation of the double output induction generator in autonomous operation, 296
Drilling of YBCO bulk
Environmentally friendly machining of ceramic based YBCO bulk superconductor, 48
Ductile–brittlement transition temperature (DBTT)
Development of apparatus for magnetic measurements of Charpy impact test pieces, 190
Dynamic behavior
Electromagnetic actuator with magnetic stored energy, 153

Eddy current methods
Identification of three-dimensional distribution of metal particles using electromagnetic tomography system, 177
Eddy current testing
Eddy current analysis for ECT by BEM utilizing induced currents at 90° edge, 274
Eddy current transducers
Identification of three-dimensional distribution of metal particles using electromagnetic tomography system, 177
Eddy-currents
Application of Lorentz force to a magnetic levitation system for a non-magnetic thin plate, 40
Computational analysis of power frequency devices by a novel hybrid quasi-static finite difference–finite element technique, 115
Asynchronous motor drive loss optimization, 301
Effective conductivity
Experimental measurements of the effective thermal conductivity of a lithium titanate (Li_2TiO_3) pebbles-packed bed, 206
Effective permittivity
Homogenization of structured electromagnetic materials and metamaterials, 225
EIS
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
E–J power law
A new analysis method for accurate supercurrent distribution inside HTS bulk, 31
Elastic coefficients
Three-dimensional constitutive equations of ferromagnetic materials with magnetoelastic coupling. Determination of elastic coefficients under magnetic field, 165
Electric and magnetic field measurements
Electric and magnetic field measurements in an indoor electric power substation, 126
Electric motor
Induction motors' faults detection and diagnosis by using Dedicated Software, 313
Electric shielding
Geometry optimization of electric shielding in power transformers based on finite element method, 159
Electrical machines
Computational analysis of power frequency devices by a novel hybrid quasi-static finite difference–finite element technique, 115
Electroless deposition
Synthesis of nano-sized Fe–Ni powder by chemical process for magnetic applications, 59
Electroluminescence
On the road to silicon-nanoparticle laser, 88
Electromagnet
Vibration suppression device using permanent-electromagnet and MRF shear damper, 235
Electromagnetic actuator
Electromagnetic actuator with magnetic stored energy, 153
Electromagnetic feeder
Dynamic parameters of electromagnetic feeder of molten metal, 291
Electromagnetic field
Dynamic parameters of electromagnetic feeder of molten metal, 291
Electron magnetic resonance
Investigations of nanomaterials synthesized in carbon–helium plasma at atmospheric pressure, 64
Environmental stability
Comparison of the behavior of the three superconductors YBCO, Bi-2212 and MgB_2 in different environmental conditions, 2
Epstein device
Laminated iron core losses evaluation and measurements, 182
Experimental methods
Photovoltaic applications, 267
Extremely low frequencies
Electric and magnetic field measurements in an indoor electric power substation, 126
Extrusion
The effect of strain hardening in the extrusion of bimetallic tubes of porous internal layer, 241

Fe–Cu alloy
Magnetic properties and copper precipitation in Fe-0.3 wt.% Cu alloys, 199
Ferroelectric and ferromagnetic composite
Synthesis and magnetic characteristics of crystallized ceramic in the $BaO–NiO–TiO_2–Fe_2O_3$ system, 213
Ferromagnetic materials
Three-dimensional constitutive equations of ferromagnetic materials with magnetoelastic coupling. Determination of elastic coefficients under magnetic field, 165

Performances of a waste recycling separator with permanent magnets, 246
Ferromagnetic shape memory alloy
Magnetic properties and shape memory effect of Fe–Cr–Ni–Si–Mn alloys produced by melt spinning technique, 217
Finite differences
Computational analysis of power frequency devices by a novel hybrid quasi-static finite difference–finite element technique, 115
Finite element analysis
A new language for electromagnetic knowledge specification, 249
Finite element method
Development of a benchmark problem and a general optimisation package with Powell's method to develop the benchmark, 136
Geometry optimization of electric shielding in power transformers based on finite element method, 159
Homogenization of structured electromagnetic materials and metamaterials, 225
Asynchronous motor drive loss optimization, 301
Finite elements
Computational analysis of power frequency devices by a novel hybrid quasi-static finite difference–finite element technique, 115
Flywheel
High temperature superconducting levitation flywheel system and its control, 12
Fowler–Nordheim conduction
Investigation and study of the electrical characteristics of anodic oxide films SiO_2 annealed at various temperatures, 230
Fullerenes
Investigations of nanomaterials synthesized in carbon–helium plasma at atmospheric pressure, 64
Fusion blanket
Experimental measurements of the effective thermal conductivity of a lithium titanate (Li_2TiO_3) pebbles-packed bed, 206

Glass-ceramics
Synthesis and magnetic characteristics of crystallized ceramic in the $BaO–NiO–TiO_2–Fe_2O_3$ system, 213
Grain
Magnetic properties of nanocrystalline ferrite $Ti_xCo_{1+x}Fe_{2-2x}O_4$ and $CoFe_2O_4$ composite thin films, 66

Harmonic analysis
Asynchronous motor drive loss optimization, 301
Harmonics
Laminated iron core losses evaluation and measurements, 182
High critical temperature superconductor
Lift and guidance forces by using iron-magnetic track with side rims interacting with passive HT_C superconducting plate: Experimental analyses, 18
High density and high efficiency machines
Development of high density and high efficiency machines, 110
High temperature superconductor
Perspectives of elementary technologies for AC power applications of high temperature superconductors, 6
Investigation of a model HTSC transformer with amorphous alloy cores, 25
High-pressure synthesis
High-pressure synthesized nanostructural magnesium diboride-based materials for superconductive electromotors, generators and pumps, 71
Homogenized field
Homogenization of structured electromagnetic materials and metamaterials, 225
HTS bulk
A new analysis method for accurate supercurrent distribution inside HTS bulk, 31
Hysteresis model
Evaluation of the parameters of a magnetic hysteresis model, 172

Impedance
A heuristic solution to the transformer manufacturing cost optimization problem, 260
Indoor electric power substation
Electric and magnetic field measurements in an indoor electric power substation, 126
Induction type
Application of Lorentz force to a magnetic levitation system for a non-magnetic thin plate, 40
Interface states density, Electrical characterisation
Investigation and study of the electrical characteristics of anodic oxide films SiO_2 annealed at various temperatures, 230
Intermetallics
Synthesis of nano-sized Fe–Ni powder by chemical process for magnetic applications, 59
Interpreter
A new language for electromagnetic knowledge specification, 249
Inverter
Photovoltaic applications, 267
Iron losses
Advances in magnetic materials and their impact on electric machine design, 148
Laminated iron core losses evaluation and measurements, 182
Isothermal aging
Magnetic properties and copper precipitation in Fe-0.3 wt.% Cu alloys, 199

Knowledge specification language
A new language for electromagnetic knowledge specification, 249

Large boundary-layer separation
Three-dimensional computation of magnetohydrodynamics in a weakly ionized plasma with strong MHD interaction, 254
Large-scale pulsed MHD generator
Three-dimensional computation of magnetohydrodynamics in a weakly ionized plasma with strong MHD interaction, 254
Laser
On the road to silicon-nanoparticle laser, 88
Levitation
High temperature superconducting levitation flywheel system and its control, 12
Liquid chromatography
Investigations of nanomaterials synthesized in carbon–helium plasma at atmospheric pressure, 64
Load losses
A heuristic solution to the transformer manufacturing cost optimization problem, 260
Decision support system for evaluating transformer investments in the industrial sector, 307
Loop magnetic current
Eddy current analysis for ECT by BEM utilizing induced currents at 90° edge, 274
Lorentz force
Application of Lorentz force to a magnetic levitation system for a non-magnetic thin plate, 40
Losses
Asynchronous motor drive loss optimization, 301

Machining of superconductor
Environmentally friendly machining of ceramic based YBCO bulk superconductor, 48
Magetization
Magnetic properties of nanocrystalline ferrite $Ti_xCo_{1+x}Fe_{2-2x}O_4$ and $CoFe_2O_4$ composite thin films, 66
Magnetic characterization
Environmentally friendly machining of ceramic based YBCO bulk superconductor, 48

Magnetic field in non-linear media
Performances of a waste recycling separator with permanent magnets, 246
Magnetic fluid
Cluster formation of ferromagnetic nano-particles in micro-capillary flow, 93
Magnetic levitation
Lift and guidance forces by using iron-magnetic track with side rims interacting with passive HT_C superconducting plate: Experimental analyses, 18
Application of Lorentz force to a magnetic levitation system for a non-magnetic thin plate, 40
Design and control of a micro-mass measurement system employing permanent magnet repulsive-type magnetic bearing, 142
Magnetic materials
Advances in magnetic materials and their impact on electric machine design, 148
Magnetic properties
Synthesis and characterization of barium hexaferrite nanoparticles, 106
Synthesis and magnetic characteristics of crystallized ceramic in the BaO–NiO–TiO_2–Fe_2O_3 system, 213
Magnetic sensors
New 1D–2D magnetic sensors for applied electromagnetic engineering, 194
Magnetic shielding plate
Study on demagnetization characteristics of magnetic shielding plate in cathode ray tube, 121
Magnetic stored energy
Electromagnetic actuator with magnetic stored energy, 153
Magnetoelastic coupling
Three-dimensional constitutive equations of ferromagnetic materials with magnetoelastic coupling. Determination of elastic coefficients under magnetic field, 165
Magneto-elastic effect
First magnetic materials with sensitivity for the physical quantity "curvature", 186
Magneto-impedance
New 1D–2D magnetic sensors for applied electromagnetic engineering, 194
Magnetostriction
Three-dimensional constitutive equations of ferromagnetic materials with magnetoelastic coupling. Determination of elastic coefficients under magnetic field, 165
Mass measurement
Design and control of a micro-mass measurement system employing permanent magnet repulsive-type magnetic bearing, 142
Melt-textured YBCO
Environmentally friendly machining of ceramic based YBCO bulk superconductor, 48
Metallic magnetic materials
Synthesis of nano-sized Fe–Ni powder by chemical process for magnetic applications, 59
Metallurgical magnetohydrodynamics
Dynamic parameters of electromagnetic feeder of molten metal, 291
MgB_2
Comparison of the behavior of the three superconductors YBCO, Bi-2212 and MgB_2 in different environmental conditions, 2
Mechanical properties of superconducting MgB_2 wire, 44
MgB_2-based bulk superconductor
High-pressure synthesized nanostructural magnesium diboride-based materials for superconductive electromotors, generators and pumps, 71
Micro-capillary flow
Cluster formation of ferromagnetic nano-particles in micro-capillary flow, 93
Microwear
On the precision single-point diamond machining of polymeric materials, 203
Minor hysteresis loop
Magnetic properties and copper precipitation in Fe-0.3 wt.% Cu alloys, 199
Monitoring
Photovoltaic applications, 267
MOS capacitors
Investigation and study of the electrical characteristics of anodic oxide films SiO_2 annealed at various temperatures, 230
Motor design
A new language for electromagnetic knowledge specification, 249
MR-damper
Vibration suppression device using permanent-electromagnet and MRF shear damper, 235
M-type ferrite
Synthesis and characterization of barium hexaferrite nanoparticles, 106

NaCl
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Nano
Catalytic decomposition of carbondioxide over freshly reduced activated $CuFe_2O_4$ nano-crystals, 81
Nanoclusters
Investigations of nanomaterials synthesized in carbon–helium plasma at atmospheric pressure, 64
Nanocrystals
On the road to silicon-nanoparticle laser, 88
Nano-particles
Cluster formation of ferromagnetic nano-particles in micro-capillary flow, 93
Nano-Sized thin film
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Nanotechnology
Recent advances in nanotechnology, 52
III–V nitrides
A modified direct nitridation method for formation of nano-AlN whiskers, 99
No-load losses
A heuristic solution to the transformer manufacturing cost optimization problem, 260
Decision support system for evaluating transformer investments in the industrial sector, 307
Nondestructive evaluation (NDE)
Development of apparatus for magnetic measurements of Charpy impact test pieces, 190
Non-destructive testing
Identification of three-dimensional distribution of metal particles using electromagnetic tomography system, 177
Non-magnetic thin plate
Application of Lorentz force to a magnetic levitation system for a non-magnetic thin plate, 40
Numerical methods
Computational analysis of power frequency devices by a novel hybrid quasi-static finite difference–finite element technique, 115

Oblique shock wave
Three-dimensional computation of magnetohydrodynamics in a weakly ionized plasma with strong MHD interaction, 254
Oil-immersed power transformer
A heuristic solution to the transformer manufacturing cost optimization problem, 260
ON/OFF method
Minimization of driving force ripple of linear motor for rope-less elevator using topology optimization technique, 131
Optimization
Development of a benchmark problem and a general optimisation package with Powell's method to develop the benchmark, 136

A new language for electromagnetic knowledge specification, 249
Optimization methods
Geometry optimization of electric shielding in power transformers based on finite element method, 159
Optimum transformer
A heuristic solution to the transformer manufacturing cost optimization problem, 260
A decision tree method for the selection of winding material in power transformers, 281
Oxide superconductors
Influence of some metallic additives on the flux trapping ability of high temperature superconducting ceramics, 36

Parameters evaluation
Evaluation of the parameters of a magnetic hysteresis model, 172
Particle tracking velocimetry
Cluster formation of ferromagnetic nano-particles in micro-capillary flow, 93
Pebble bed
Experimental measurements of the effective thermal conductivity of a lithium titanate (Li_2TiO_3) pebbles-packed bed, 206
Permalloy
Synthesis of nano-sized Fe–Ni powder by chemical process for magnetic applications, 59
Permanent magnet
High temperature superconducting levitation flywheel system and its control, 12
Lift and guidance forces by using iron-magnetic track with side rims interacting with passive HT_C superconducting plate: Experimental analyses, 18
Design and control of a micro-mass measurement system employing permanent magnet repulsive-type magnetic bearing, 142
Advances in magnetic materials and their impact on electric machine design, 148
Photonics
On the road to silicon-nanoparticle laser, 88
Photovoltaic systems
Photovoltaic applications, 267
Plasma technology
Investigations of nanomaterials synthesized in carbon–helium plasma at atmospheric pressure, 64
Polarization fixed point method
Performances of a waste recycling separator with permanent magnets, 246
Polymeric materials
On the precision single-point diamond machining of polymeric materials, 203
Porous material
The effect of strain hardening in the extrusion of bimetallic tubes of porous internal layer, 241
Powder in tube
Mechanical properties of superconducting MgB_2 wire, 44
Powell's method
Development of a benchmark problem and a general optimisation package with Powell's method to develop the benchmark, 136
Power apparatuses
Perspectives of elementary technologies for AC power applications of high temperature superconductors, 6
Power transformer
Geometry optimization of electric shielding in power transformers based on finite element method, 159
A decision tree method for the selection of winding material in power transformers, 281
Precision engineering
On the precision single-point diamond machining of polymeric materials, 203
Pressure vessel (PRV)
Development of apparatus for magnetic measurements of Charpy impact test pieces, 190
Pseudo-shock wave
Three-dimensional computation of magnetohydrodynamics in a weakly ionized plasma with strong MHD interaction, 254
Pulse magnetization
Influence of some metallic additives on the flux trapping ability of high temperature superconducting ceramics, 36
Pure water
Investigation and study of the electrical characteristics of anodic oxide films SiO_2 annealed at various temperatures, 230

Quench protection
Perspectives of elementary technologies for AC power applications of high temperature superconductors, 6

Reduction
Catalytic decomposition of carbondioxide over freshly reduced activated $CuFe_2O_4$ nano-crystals, 81
Reoxidation
Catalytic decomposition of carbondioxide over freshly reduced activated $CuFe_2O_4$ nano-crystals, 81
Repulsive type
Design and control of a micro-mass measurement system employing permanent magnet repulsive-type magnetic bearing, 142
Rotor
Development of high density and high efficiency machines, 110

Safe public and occupational exposure
Electric and magnetic field measurements in an indoor electric power substation, 126
Sandwiched system
New 1D–2D magnetic sensors for applied electromagnetic engineering, 194
Saturation magnetization
Magnetic properties and shape memory effect of Fe–Cr–Ni–Si–Mn alloys produced by melt spinning technique, 217
SEM
Comparison of the behavior of the three superconductors YBCO, Bi-2212 and MgB_2 in different environmental conditions, 2
Semi-linear edge element
Eddy current analysis for ECT by BEM utilizing induced currents at 90° edge, 274
Sensors
First magnetic materials with sensitivity for the physical quantity "curvature", 186
Separation angle
Performances of a waste recycling separator with permanent magnets, 246
Shape memory effect
Magnetic properties and shape memory effect of Fe–Cr–Ni–Si–Mn alloys produced by melt spinning technique, 217
Short-circuit impedance
Geometry optimization of electric shielding in power transformers based on finite element method, 159
SiC
High-pressure synthesized nanostructural magnesium diboride-based materials for superconductive electromotors, generators and pumps, 71
Silicon
On the road to silicon-nanoparticle laser, 88
Single axis control
Design and control of a micro-mass measurement system employing permanent magnet repulsive-type magnetic bearing, 142
Soft magnetic materials
First magnetic materials with sensitivity for the physical quantity "curvature", 186
Software
Development of a benchmark problem and a general optimisation package with Powell's method to develop the benchmark, 136

Sol–gel
Magnetic properties of nanocrystalline ferrite $Ti_xCo_{1+x}Fe_{2-2x}O_4$ and $CoFe_2O_4$ composite thin films, 66
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Specifications
A heuristic solution to the transformer manufacturing cost optimization problem, 260
Stator
Development of high density and high efficiency machines, 110
Strain-hardening
The effect of strain hardening in the extrusion of bimetallic tubes of porous internal layer, 241
Stress/strain
Mechanical properties of superconducting MgB_2 wire, 44
Superconducting permanent magnets
Influence of some metallic additives on the flux trapping ability of high temperature superconducting ceramics, 36
Superconductivity
Investigation of a model HTSC transformer with amorphous alloy cores, 25
Superconductor
High temperature superconducting levitation flywheel system and its control, 12
Supercurrent distribution
A new analysis method for accurate supercurrent distribution inside HTS bulk, 31
Surface integral equation
Eddy current analysis for ECT by BEM utilizing induced currents at 90° edge, 274
Surface treatment
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Surfactants
Synthesis and characterization of barium hexaferrite nanoparticles, 106
Synthesis
A modified direct nitridation method for formation of nano-AlN whiskers, 99

Ta
High-pressure synthesized nanostructural magnesium diboride-based materials for superconductive electromotors, generators and pumps, 71
3D tactile sensor
Development of a 3D tactile sensor, 286
Thermo gravimetric analysis
Design and control of a micro-mass measurement system employing permanent magnet repulsive-type magnetic bearing, 142
Three-dimensional analysis
Three-dimensional computation of magnetohydrodynamics in a weakly ionized plasma with strong MHD interaction, 254
Three-dimensional constitutive equations
Three-dimensional constitutive equations of ferromagnetic materials with magnetoelastic coupling. Determination of elastic coefficients under magnetic field, 165
Ti
High-pressure synthesized nanostructural magnesium diboride-based materials for superconductive electromotors, generators and pumps, 71
TiCo-ferrite
Magnetic properties of nanocrystalline ferrite $Ti_xCo_{1+x}Fe_{2-2x}O_4$ and $CoFe_2O_4$ composite thin films, 66
Tolerances
A heuristic solution to the transformer manufacturing cost optimization problem, 260
Topology optimization
Minimization of driving force ripple of linear motor for rope-less elevator using topology optimization technique, 131
Torque
High temperature superconducting levitation flywheel system and its control, 12
Total owning cost
Decision support system for evaluating transformer investments in the industrial sector, 307
Transformation temperature
Magnetic properties and shape memory effect of Fe–Cr–Ni–Si–Mn alloys produced by melt spinning technique, 217
Transformer
Investigation of a model HTSC transformer with amorphous alloy cores, 25
Decision support system for evaluating transformer investments in the industrial sector, 307
Transformer design
A heuristic solution to the transformer manufacturing cost optimization problem, 260
A decision tree method for the selection of winding material in power transformers, 281
Transformer efficiency
Decision support system for evaluating transformer investments in the industrial sector, 307
Transformer manufacturing
A heuristic solution to the transformer manufacturing cost optimization problem, 260
A decision tree method for the selection of winding material in power transformers, 281
Transformer manufacturing cost
A heuristic solution to the transformer manufacturing cost optimization problem, 260
A decision tree method for the selection of winding material in power transformers, 281

Ultrafine powder
Synthesis and characterization of barium hexaferrite nanoparticles, 106
Ultraprecision engineering
Recent advances in nanotechnology, 52
User interface
Induction motors' faults detection and diagnosis by using Dedicated Software, 313

Vanadia
Novel anti-corrosion nano-sized vanadia-based thin films prepared by sol–gel method for aluminum alloys, 76
Vibration
High temperature superconducting levitation flywheel system and its control, 12
Vibration isolation
Vibration suppression device using permanent-electromagnet and MRF shear damper, 235
Vibration suppression
Vibration suppression device using permanent-electromagnet and MRF shear damper, 235
Virtual instruments
Photovoltaic applications, 267

Waste recycling separator
Performances of a waste recycling separator with permanent magnets, 246
Wind energy conversion system
Steady and transient state experimental investigation of the double output induction generator in autonomous operation, 296
Winding material
A decision tree method for the selection of winding material in power transformers, 281
Wound core type transformer
A heuristic solution to the transformer manufacturing cost optimization problem, 260

XRD
Comparison of the behavior of the three superconductors YBCO, Bi-2212 and MgB_2 in different environmental conditions, 2

YBCO
Comparison of the behavior of the three superconductors YBCO, Bi-2212 and MgB_2 in different environmental conditions, 2
Perspectives of elementary technologies for AC power applications of high temperature superconductors, 6

Zr additions
High-pressure synthesized nanostructural magnesium diboride-based materials for superconductive electromotors, generators and pumps, 71